

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L17	3	(encod\$3 AND (PDU OR (Protocol ADJ Data ADJ Unit)) AND supplementary AND service).clm.	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2006/07/19 17:40
L16	1	((SSSP OR (Simple Supplementary Service)) AND encod\$3 AND (PDU OR (Protocol ADJ Data ADJ Unit))).clm.	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2006/07/19 17:39
L15	2	(SSSP OR (Simple Supplementary Service)) AND encod\$3 AND (PDU OR (Protocol ADJ Data ADJ Unit))	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2006/07/19 17:38
L9	3	SSSP AND (Simple Supplementary Service Protocol)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2006/07/19 17:27
L14	2	13 AND (string WITH encod\$3)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/07/19 17:16
L13	78	(supplementary ADJ service) AND 11	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/07/19 17:16
L8	3	supplementary NEAR2 service AND 7	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/07/19 17:16
L11	861	10 AND "h.323"	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/07/19 17:15

## EAST Search History

L10	5048	((379/283) or (370/352)). CCLS.	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/07/19 17:15
L7	50	SSSP	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/07/19 17:15
L6	12	supplementary NEAR2 service NEAR2 "H.450"\$1	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/07/19 16:27
L5	8	encod\$3 NEAR3 supplementary NEAR2 service	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/07/19 16:27
L4	5	1 AND supplementary NEAR2 service	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/07/19 15:10
L3	2	1 AND "H.323" AND supplementary NEAR2 service	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/07/19 15:08
L2	33	1 AND "H.323"	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/07/19 15:06
S26 3	10662	((370/352,466,469) or (709/230) or (379/207.01, 207.06,207.07,207.08,202.01, 201.01)).CCLS.	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/07/19 15:05

## EAST Search History

L1	187	(379/900).CCLS.	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/07/19 15:05
S32 1	1	S316 AND (DTMF SAME encod\$3) AND via AND "H. 323" AND existing	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2006/07/19 11:35
S32 0	1	S316 AND (DTMF SAME encod\$3) AND via AND "H. 323"	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2006/07/19 11:34
S31 9	2	S316 AND (DTMF SAME encod\$3) AND via	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2006/07/19 11:29
S31 8	2	S316 AND (DTMF SAME encod\$3)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2006/07/19 11:27
S31 7	2	S316 AND (DTMF WITH encod\$3)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2006/07/19 11:26
S31 6	4	(DTMF NEAR2 message) SAME supplementary	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2006/07/19 11:24
S19 1	10	S188 AND DTMF	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2006/07/18 17:57

## EAST Search History

S31 4	2	("20030074404").PN.	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/07/18 17:53
S31 3	3	(PDU OR (protocol ADJ data ADJ unit)) (identif\$3 NEAR2 (field OR chunk OR block OR portion)) separat\$3 message	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2006/07/18 17:53
S31 2	17	(PDU OR (protocol ADJ data ADJ unit)) (identif\$3 NEAR2 (field OR chunk OR block OR portion)) ((end\$3 OR (end\$3 ADJ tag) OR last) NEAR2 (field OR chunk OR block OR portion))	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2006/07/18 17:53
S31 1	22	S310 AND @ad<"20000117"	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2006/07/18 17:53
S31 0	79	S271 AND S272	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2006/07/18 17:53
S30 9	2	S270 AND S271	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2006/07/18 17:53
S30 8	7	PDU\$1type	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2006/07/18 17:53
S30 7	45	S268 AND @ad<"20000117"	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2006/07/18 17:53

## EAST Search History

S306	8	(identifier WITH field)SAME encod\$3 SAME different SAME protocol SAME message	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2006/07/18 17:53
S305	10	S266 SAME (identifier WITH field)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2006/07/18 17:53
S304	89	S265 SAME PDU	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2006/07/18 17:53
S303	12	S264 AND "H.450.\$1"	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2006/07/18 17:53
S302	4	S261 AND "H.323"	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2006/07/18 17:53
S301	2	PDU SAME S261	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2006/07/18 17:53
S300	2	PDU SAME S260	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2006/07/18 17:53
S299	20	PDU SAME "H.323"	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2006/07/18 17:53
S298	3	S259 SAME (end NEAR3 tag NEAR3 field)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2006/07/18 17:53

## EAST Search History

S29 7	7	S258 AND field	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2006/07/18 17:53
S29 6	8	(US-20010056496-\$ or US-20020030696-\$ or US-20030002478-\$ or US-20030123623-\$ or US-20040076145-\$ or US-20040120492-\$ or US-20040223488-\$).did. or (US-6118763-\$ or US-6430176-\$ or US-6614784-\$ or US-6621814-\$ or US-6636508-\$ or US-6636528-\$ or US-6693874-\$ or US-6711157-\$ or US-6738343-\$ or US-6757277-\$).did. or (GB-2358986-\$).did.	US-PGPU B; USPAT; EPO	SAME	ON	2006/07/18 17:53
S29 5	12	S254 AND (supplementary NEAR2 service)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2006/07/18 17:53
S29 4	2	S254 SAME supplementary	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2006/07/18 17:53
S29 3	10	S252 AND DTMF	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2006/07/18 17:53
S29 2	2	S251 AND PDU	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2006/07/18 17:53
S29 1	10	S250 AND PDU	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2006/07/18 17:53

## EAST Search History

S290	7	S250 AND supplementary	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2006/07/18 17:53
S289	3	"H.323" SAME (supplementary NEAR2 service NEAR5 additional)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2006/07/18 17:53
S288	6	S249.ab.	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2006/07/18 17:53
S287	62	S249 AND encod\$3	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2006/07/18 17:53
S286	4	S249 SAME encod\$3	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2006/07/18 17:53
S285	16	S248 AND (supplementary NEAR2 service)	US-PGPU B; USPAT; EPO; JPO; DERWENT	OR	ON	2006/07/18 17:53
S284	6	identif\$3 SAME supplementary SAME end\$3 SAME tag	US-PGPU B; USPAT; EPO; JPO; DERWENT	OR	ON	2006/07/18 17:53
S283	3	identif\$3 NEAR5 (field OR bit) SAME supplementary SAME end\$3 SAME tag	US-PGPU B; USPAT; EPO; JPO; DERWENT	OR	ON	2006/07/18 17:53
S282	2	"H.323" AND (identif\$3 NEAR3 (field OR bit) NEAR4 supplementary)	US-PGPU B; USPAT; EPO; JPO; DERWENT	OR	ON	2006/07/18 17:53

## EAST Search History

S28 1	2	((US-6757277-\$ or US-6738343-\$ or US-6711157-\$ or US-6693874-\$ or US-6636528-\$ or US-6621814-\$ or US-6614784-\$).did. or (US-20040076145-\$ or US-20020030696-\$ or US-20010056496-\$).did.) AND (identif\$3 NEAR3 (field OR bit) NEAR4 supplementary)	US-PGPU B; USPAT; EPO; JPO; DERWENT	OR	ON	2006/07/18 17:53
S28 0	10	(US-6757277-\$ or US-6738343-\$ or US-6711157-\$ or US-6693874-\$ or US-6636528-\$ or US-6621814-\$ or US-6614784-\$).did. or (US-20040076145-\$ or US-20020030696-\$ or US-20010056496-\$).did.	US-PGPU B; USPAT	OR	OFF	2006/07/18 17:53
S27 9	3	Alpha ADJ Numeric ADJ String ADJ Encod\$3	US-PGPU B; USPAT; EPO; JPO; DERWENT	OR	ON	2006/07/18 17:53
S27 8	1	(Text OR alpha OR (alpha NEAR2 numeric)) encod\$3 (supplementary WITH service)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2006/07/18 17:53
S27 7	1	Packet\$1name	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2006/07/18 17:53
S27 6	1	PDU\$1name	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2006/07/18 17:53
S27 5	1	S267 AND "H.323"	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2006/07/18 17:53
S27 4	1	identif\$3 NEAR3 (field OR bit) NEAR4 supplementary SAME end\$3 SAME tag	US-PGPU B; USPAT; EPO; JPO; DERWENT	OR	ON	2006/07/18 17:53



## EAST Search History

S27 3	1	"5822404".PN.	US-PGPU B; USPAT	OR	ON	2006/07/18 17:53
S27 2	246	(supplementary WITH service) AND "H.323"	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2006/07/18 17:53
S27 1	79	(supplementary WITH service) "H.323"	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2006/07/18 17:53
S27 0	26214	(Text OR alpha OR (alpha NEAR2 numeric)) encod\$3	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2006/07/18 17:53
S26 9	121	"H.323".ti.	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2006/07/18 17:53
S26 8	121	"H.""323".ti.	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2006/07/18 17:53
S26 7	33	(identifier WITH field)SAME encod\$3 SAME different SAME message	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2006/07/18 17:53
S26 6	1692	encod\$3 WITH message WITH protocol	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2006/07/18 17:53
S26 5	1264	protocol WITH field With identifier	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2006/07/18 17:53

## EAST Search History

S26 4	1132	S263 AND "H.323"	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2006/07/18 17:53
S26 2	17	DTMF NEAR2 string NEAR3 encod\$3	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2006/07/18 17:53
S26 1	838	alpha\$1numeric NEAR2 encod\$3	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2006/07/18 17:53
S26 0	711	alphanumeric NEAR2 encod\$3	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2006/07/18 17:53
S25 9	11122	identifier NEAR2 field	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2006/07/18 17:53
S25 8	7	S257 AND (supplementary near3 service)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2006/07/18 17:53
S25 7	7	S256 AND "H.323"	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2006/07/18 17:53

## EAST Search History

S25 6	8	(US-20010056496-\$ or US-20020030696-\$ or US-20030002478-\$ or US-20030123623-\$ or US-20040076145-\$ or US-20040120492-\$ or US-20040223488-\$).did. or (US-6118763-\$ or US-6430176-\$ or US-6614784-\$ or US-6621814-\$ or US-6636508-\$ or US-6636528-\$ or US-6693874-\$ or US-6711157-\$ or US-6738343-\$ or US-6757277-\$).did. or (GB-2358986-\$).did.	US-PGPU B; USPAT; EPO	SAME	ON	2006/07/18 17:53
S25 5	12	S254 AND (supplementary NEAR2 service OR ("H.450. \$1"))	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2006/07/18 17:53
S25 4	93	S253 SAME DTMF	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2006/07/18 17:53
S25 3	4203	"H.323"	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2006/07/18 17:53
S25 2	143	(identifier NEAR2 field)NEAR6 (end OR (end NEAR2 tag))	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2006/07/18 17:53
S25 1	10	S250 AND DTMF	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2006/07/18 17:53
S25 0	143	(identifier NEAR2 field)NEAR6 (end OR (end NEAR2 tag))	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2006/07/18 17:53

## EAST Search History

S24 9	116	"H.323" SAME (supplementary NEAR2 service)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2006/07/18 17:53
S24 8	121	"H.""323".ti.	US-PGPU B; USPAT; EPO; JPO; DERWENT	OR	ON	2006/07/18 17:53
S24 7	121	"H.""323".ti.	US-PGPU B; USPAT; EPO; JPO; DERWENT	OR	ON	2006/07/18 17:53
S24 6	15	identif\$3 NEAR3 (field OR bit) NEAR4 supplementary	US-PGPU B; USPAT; EPO; JPO; DERWENT	OR	ON	2006/07/18 17:53
S24 5	240	(supplementary NEAR3 service) AND "H.323"	US-PGPU B; USPAT; EPO; JPO; DERWENT	OR	ON	2006/07/18 17:53
S24 4	4202	"H.323"	US-PGPU B; USPAT; EPO; JPO; DERWENT	OR	ON	2006/07/18 17:53
S24 3	2465	supplementary NEAR3 service	US-PGPU B; USPAT; EPO; JPO; DERWENT	OR	ON	2006/07/18 17:53
S24 2	3432	(protocol ADJ Data ADJ Units) AND PDU\$1	US-PGPU B; USPAT; EPO; JPO; DERWENT	OR	ON	2006/07/18 17:53
S24 1	7833	(protocol ADJ Data ADJ Units) OR PDU\$1	US-PGPU B; USPAT; EPO; JPO; DERWENT	OR	ON	2006/07/18 17:53
S24 0	5194	protocol ADJ Data ADJ Units	US-PGPU B; USPAT; EPO; JPO; DERWENT	OR	ON	2006/07/18 17:53
S23 9	4202	"H.323"	US-PGPU B; USPAT; EPO; JPO; DERWENT	OR	ON	2006/07/18 17:53
S23 8	2	("20030074404").PN.	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/07/18 17:53

## EAST Search History

S23 7	3	(PDU OR (protocol ADJ data ADJ unit)) (identif\$3 NEAR2 (field OR chunk OR block OR portion)) separat\$3 message	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2006/07/18 17:53
S23 6	17	(PDU OR (protocol ADJ data ADJ unit)) (identif\$3 NEAR2 (field OR chunk OR block OR portion)) ((end\$3 OR (end\$3 ADJ tag) OR last) NEAR2 (field OR chunk OR block OR portion))	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2006/07/18 17:53
S23 5	22	S234 AND @ad<"20000117"	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2006/07/18 17:53
S23 4	79	S231 AND S233	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2006/07/18 17:53
S23 3	246	(supplementary WITH service) AND "H.323"	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2006/07/18 17:53
S23 2	2	S230 AND S231	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2006/07/18 17:53
S23 1	79	(supplementary WITH service) "H.323"	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2006/07/18 17:53
S23 0	26214	(Text OR alpha OR (alpha NEAR2 numeric)) encod\$3	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2006/07/18 17:53
S22 9	1	(Text OR alpha OR (alpha NEAR2 numeric)) encod\$3 (supplementary WITH service)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2006/07/18 17:53

## EAST Search History

S22 8	7	PDU\$1type	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2006/07/18 17:53
S22 7	1	Packet\$1name	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2006/07/18 17:53
S22 6	1	PDU\$1name	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2006/07/18 17:53
S22 5	121	"H.323".ti.	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2006/07/18 17:53
S22 4	45	S223 AND @ad<"20000117"	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2006/07/18 17:53
S22 3	121	"H.""323".ti.	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2006/07/18 17:53
S22 2	1	S221 AND "H.323"	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2006/07/18 17:53
S22 1	33	(identifier WITH field)SAME encod\$3 SAME different SAME message	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2006/07/18 17:53
S22 0	8	(identifier WITH field)SAME encod\$3 SAME different SAME protocol SAME message	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2006/07/18 17:53

## EAST Search History

S21 9	10	S218 SAME (identifier WITH field)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2006/07/18 17:53
S21 8	1692	encod\$3 WITH message WITH protocol	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2006/07/18 17:53
S21 7	89	S216 SAME PDU	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2006/07/18 17:53
S21 6	1264	protocol WITH field WITH identifier	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2006/07/18 17:53
S21 5	12	S214 AND "H.450.\$1"	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2006/07/18 17:53
S21 4	1132	S213 AND "H.323"	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2006/07/18 17:53
S21 3	10662	((370/352,466,469) or (709/230) or (379/207.01, 207.06,207.07,207.08,202.01, 201.01)).CCLS.	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/07/18 17:53
S21 2	17	DTMF NEAR2 string NEAR3 encod\$3	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2006/07/18 17:53
S21 1	4	S209 AND "H.323"	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2006/07/18 17:53

## EAST Search History

S210	2	PDU SAME S209	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2006/07/18 17:53
S209	838	alpha\$1numeric NEAR2 encod\$3	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2006/07/18 17:53
S208	2	PDU SAME S207	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2006/07/18 17:53
S207	711	alphanumeric NEAR2 encod\$3	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2006/07/18 17:53
S206	20	PDU SAME "H.323"	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2006/07/18 17:53
S205	3	S204 SAME (end NEAR3 tag NEAR3 field)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2006/07/18 17:53
S204	11122	identifier NEAR2 field	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2006/07/18 17:53
S203	7	S202 AND field	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2006/07/18 17:53
S202	7	S201 AND (supplementary near3 service)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2006/07/18 17:53



## EAST Search History

S20 1	7	S200 AND "H.323"	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2006/07/18 17:53
S20 0	8	(US-20010056496-\$ or US-20020030696-\$ or US-20030002478-\$ or US-20030123623-\$ or US-20040076145-\$ or US-20040120492-\$ or US-20040223488-\$).did. or (US-6118763-\$ or US-6430176-\$ or US-6614784-\$ or US-6621814-\$ or US-6636508-\$ or US-6636528-\$ or US-6693874-\$ or US-6711157-\$ or US-6738343-\$ or US-6757277-\$).did. or (GB-2358986-\$).did.	US-PGPU B; USPAT; EPO	SAME	ON	2006/07/18 17:53
S19 9	12	S196 AND (supplementary NEAR2 service OR ("H.450. \$1"))	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2006/07/18 17:53
S19 8	12	S196 AND (supplementary NEAR2 service)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2006/07/18 17:53
S19 7	2	S196 SAME supplementary	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2006/07/18 17:53
S19 6	93	S195 SAME DTMF	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2006/07/18 17:53
S19 5	4203	"H.323"	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2006/07/18 17:53

## EAST Search History

S19 4	10	S193 AND DTMF	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2006/07/18 17:53
S19 3	143	(identifier NEAR2 field)NEAR6 (end OR (end NEAR2 tag))	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2006/07/18 17:53
S19 2	2	S191 AND PDU	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2006/07/18 17:53
S19 0	10	S188 AND PDU	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2006/07/18 17:53
S18 9	7	S188 AND supplementary	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2006/07/18 17:53
S18 8	143	(identifier NEAR2 field)NEAR6 (end OR (end NEAR2 tag))	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2006/07/18 17:53
S18 7	3	"H.323" SAME (supplementary NEAR2 service NEAR5 additional)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2006/07/18 17:53
S18 6	6	S183.ab.	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2006/07/18 17:53
S18 5	62	S183 AND encod\$3	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2006/07/18 17:53

## EAST Search History

S18 4	4	S183 SAME encod\$3	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2006/07/18 17:53
S18 3	116	"H.323" SAME (supplementary NEAR2 service)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2006/07/18 17:53
S18 2	16	S181 AND (supplementary NEAR2 service)	US-PGPU B; USPAT; EPO; JPO; DERWENT	OR	ON	2006/07/18 17:53
S18 1	121	"H.""323".ti.	US-PGPU B; USPAT; EPO; JPO; DERWENT	OR	ON	2006/07/18 17:53
S18 0	0	"H.""323".ti. AND (supplementary NEAR2 service) AND "H.450\$2"	US-PGPU B; USPAT; EPO; JPO; DERWENT	OR	ON	2006/07/18 17:53
S17 9	121	"H.""323".ti.	US-PGPU B; USPAT; EPO; JPO; DERWENT	OR	ON	2006/07/18 17:53
S17 8	6	identif\$3 SAME supplementary SAME end\$3 SAME tag	US-PGPU B; USPAT; EPO; JPO; DERWENT	OR	ON	2006/07/18 17:53
S17 7	3	identif\$3 NEAR5 (field OR bit) SAME supplementary SAME end\$3 SAME tag	US-PGPU B; USPAT; EPO; JPO; DERWENT	OR	ON	2006/07/18 17:53
S17 6	1	identif\$3 NEAR3 (field OR bit) NEAR4 supplementary SAME end\$3 SAME tag	US-PGPU B; USPAT; EPO; JPO; DERWENT	OR	ON	2006/07/18 17:53
S17 5	2	"H.323" AND (identif\$3 NEAR3 (field OR bit) NEAR4 supplementary)	US-PGPU B; USPAT; EPO; JPO; DERWENT	OR	ON	2006/07/18 17:53

## EAST Search History

S17 4	2	((US-6757277-\$ or US-6738343-\$ or US-6711157-\$ or US-6693874-\$ or US-6636528-\$ or US-6621814-\$ or US-6614784-\$).did. or (US-20040076145-\$ or US-20020030696-\$ or US-20010056496-\$).did.) AND (identif\$3 NEAR3 (field OR bit) NEAR4 supplementary)	US-PGPU B; USPAT; EPO; JPO; DERWENT	OR	ON	2006/07/18 17:53
S17 3	15	identif\$3 NEAR3 (field OR bit) NEAR4 supplementary	US-PGPU B; USPAT; EPO; JPO; DERWENT	OR	ON	2006/07/18 17:53
S17 2	10	(US-6757277-\$ or US-6738343-\$ or US-6711157-\$ or US-6693874-\$ or US-6636528-\$ or US-6621814-\$ or US-6614784-\$).did. or (US-20040076145-\$ or US-20020030696-\$ or US-20010056496-\$).did.	US-PGPU B; USPAT	OR	OFF	2006/07/18 17:53
S17 1	1	"5822404".PN.	US-PGPU B; USPAT	OR	ON	2006/07/18 17:53
S17 0	240	(supplementary NEAR3 service) AND "H.323"	US-PGPU B; USPAT; EPO; JPO; DERWENT	OR	ON	2006/07/18 17:53
S16 9	4202	"H.323"	US-PGPU B; USPAT; EPO; JPO; DERWENT	OR	ON	2006/07/18 17:53
S16 8	2465	supplementary NEAR3 service	US-PGPU B; USPAT; EPO; JPO; DERWENT	OR	ON	2006/07/18 17:53
S16 7	3432	(protocol ADJ Data ADJ Units) AND PDU\$1	US-PGPU B; USPAT; EPO; JPO; DERWENT	OR	ON	2006/07/18 17:53
S16 6	7833	(protocol ADJ Data ADJ Units) OR PDU\$1	US-PGPU B; USPAT; EPO; JPO; DERWENT	OR	ON	2006/07/18 17:53
S16 5	5194	protocol ADJ Data ADJ Units	US-PGPU B; USPAT; EPO; JPO; DERWENT	OR	ON	2006/07/18 17:53

## EAST Search History

S16 4	3	Alpha ADJ Numeric ADJ String ADJ Encod\$3	US-PGPU B; USPAT; EPO; JPO; DERWENT	OR	ON	2006/07/18 17:53
S16 3	4202	"H.323"	US-PGPU B; USPAT; EPO; JPO; DERWENT	OR	ON	2006/07/18 17:53